

# Multi-Objective Optimization to Find The Shortest Paths Tree Problem in The Computer Networks

Mahmoud A. Mofaddel<sup>1,\*</sup> and Ahmed Y. Hamed<sup>2</sup>

<sup>1</sup> Math. and Computer Science Dept., Faculty of Science, Sohag University, Sohag, Egypt

<sup>2</sup> College of Applied Studies and Community Services, Imam Abdul-Rahman Bin Faisal University, KSA

Received: 30 Mar. 2017, Revised: 2 Dec. 2017, Accepted: 10 Dec. 2017

Published online: 1 Jan. 2018

**Abstract:** The shortest paths tree problem when considering cost and bandwidth constraints is addressed in this paper as multi-objective shortest paths tree problem. A multi-objective genetic algorithm is suitable to solve the presented problem. Therefore, this paper presents a multi-objective genetic algorithm based on Random Weighted Genetic Algorithm (RWGA) to solve the shortest paths tree problem subject to cost and bandwidth constraints. The objective of the proposed algorithm is to search the optimal set of edges connecting all nodes such that the sum of costs is minimized and the value bandwidth is maximized. The presented algorithm has been applied on two sample networks to illustrate their efficiency.

**Keywords:** Computer Networks, Multi-Objective Shortest Paths, Genetic Algorithms

## 1 Introduction

The shortest paths tree rooted at vertex  $s$  is a spanning tree  $T$  of  $G$ , such that the path distance from root  $v$  to any other vertex  $u$  in  $T$  is the shortest path distance from  $v$  to  $u$  in  $G$  [1]. In the case of single link failure, [2] proposed an algorithm to solve the optimal shortest paths tree. When considering multicast tree, [3] presented an algorithm to find the Shortest Best Path Tree (SBPT) based on labeling techniques.

Ziliaskopoulos et al. [4] proposed an algorithm to solve the shortest path trees. Also, the shortest paths tree problem has been solved by an efficient modified continued pulse coupled neural network (MCPCNN) model [5].

Ting Lu and Jie Zhu [6] presented a heuristic and approximate algorithms for multi-constrained routing (MCR) are not effective in dynamic network environment for real-time applications when the state information of the network is out of date. Also, the authors presented a genetic algorithm to solve the MCR problem subject to transmission delay and transmission success ratio.

Younes [7] proposed a genetic algorithm to determine the  $k$  shortest paths with bandwidth constraints from a single source node to multiple destinations nodes.

Liu et al. [8] presented an oriented spanning tree (OST) based genetic algorithm (GA) for solving both the multi-criteria shortest path problem (MSPP) and the multi-criteria constrained shortest path problems (MCSPP).

Younes [9] presented the genetic algorithm to find the low-cost multicasting tree with bandwidth and delay constraints.

Granat and Guerriero [10] introduced an interactive procedure for the MSPP based on a reference point labeling algorithm. The algorithm converts the multi-objective problem into a parametric single-objective problem whereby the efficient paths are found. The algorithm was tested on grid and random networks and its performance was measured based on execution time. They concluded that an interactive method, from their experimental results, is encouraging and does not require the generation of the whole Pareto-optimal set (which avoids the intractability problem).

Gen and Lin [11] used a multi-objective hybrid genetic algorithm (GA) to improve solutions of the bicriteria network design problem (finding shortest paths) with two conflicting objectives of minimizing cost and maximizing flow.

Gandibleux et al. [12] reported a concise description of the MSPP and clearly narrates the most salient issues

\* Corresponding author e-mail: [mmofaddel@hotmail.com](mailto:mmofaddel@hotmail.com)

to its solution. Their study recalls Martins' labeling algorithm and attempts to improve it. Their new algorithm extends Martins' algorithm by introducing a procedure that can solve MSPP that have multiple linear functions and a max min function. Since it is an extension of Martins' algorithm, the generation of all non-dominated paths remains intractable in polynomial time. However, experimental results of their study say otherwise. Their algorithm is tested on a variety of test instances and results show that in terms of size and complexity, optimizing simultaneous linear and max min functions does not behave exponentially. They also show that their algorithm is not sensitive to different cost ranges and that density and network size increase the number of efficient solutions.

Müller-Hannemann [13] also showed that the cardinality of efficient paths in a bicriteria shortest path problem is not exponential as long as the instances are bounded by potential characteristics as defined in their experiment. They conclude with emphasis that it is still preferable to work with complete information rather than falling back on approximations.

Likewise [14] suggested an interactive method that incorporates an efficient  $k$ -shortest path in identifying Pareto-optimal paths in a biobjective shortest path problem. The algorithm was tested against other MSPP algorithms on 39 network instances. They conclude that their  $k$ -shortest path algorithm performs better in terms of execution time.

Martins and Santos [15] presented a labeling algorithm for the multi-objective shortest paths problem and presents an analysis in terms of finiteness and optimality concepts and reports that any instance of the MSPP is bounded if and only if there are no absorbent cycles in the network. They showed a set of networks wherein the labeling algorithm only determines non-dominated labels.

Mooney and Winstanley [16] state that Martins' labeling algorithm works well in theory but is prohibitive in practice in terms of its implementation due to memory costs.

Guerriero and Musmanno [17] examined several label selection and node-selection methods that can find Pareto optimal solutions to the MSPP with respect to execution time. The performance of the different algorithms was measured using random and grid networks and results show that label selection methods are generally faster than node-selection methods and that parallel computing is necessary in the design of efficient methods. While some researchers focus on exhaustive solutions or on improvements thereof, other researchers are more concerned with better runtime solutions.

Tsaggouris and Zaroliagis [18] presented an improved fully polynomial time approximation scheme (FPTAS) for the multi-criteria shortest path problem and a new generic method for obtaining FPTAS to any multi-objective optimization problem with non-linear objectives. They showed how their results can be used to

obtain efficient approximate solutions to the multiple constrained path problem and to the non-additive shortest path problem. Their algorithm builds upon an iterative process that extends and merges sets of node labels representing paths which departs from earlier methods using rounding and scaling techniques on the input edge costs. The algorithm resembles the Bellman-Ford method but implements the label sets as arrays of polynomial size by relaxing the requirements for strict Pareto optimality.

Fritz Bökler and Petra Mutzel, [19] presented a new pruning method which is easy to implement and performs very well on real-world road networks. In this study, we test our hypotheses on artificial MOSP instances from the literature with up to 15 objectives and real-world road networks with up to almost 160,000 nodes.

This paper presents a multi-objective genetic algorithm based on Random Weighted Genetic Algorithm (RWGA) to solve the shortest paths tree problem subject to cost and bandwidth constraints. The objective of the proposed algorithm is to search the optimal set of edges connecting all nodes such that the sum of costs is minimized and the bandwidth value is maximized. A genetic algorithm is presented to solve the paths tree problem under cost constraint. The algorithm reads the connection matrix and the cost matrix of a given network. Also, given the source (root) node  $s$ , then the genetic operations are executed to search the minimum cost paths that construct the minimum cost paths tree rooted at the source node  $s$ .

The rest of the paper is organized as follows: Section 2 presents notations. The problem description is presented in Section 3. The proposed GA and its components are given in Section 4. Section 5 provides the pseudo code of the entire GA. Section 6 shows the illustrative examples. Finally, Section 7 presents conclusions.

## 2 Notations

<b>G</b>	A network graph
<b>N</b>	The number of nodes in $G$
<b>E</b>	The number of edges in $G$
$e_{ij}$	An edge between node $i$ and node $j$ in $G$
$c_e$	The cost of an edge $e$
<b>M</b>	The connection matrix of the given network
<b>CM</b>	The cost matrix of the given network
<b>NP</b>	The number of paths from node $s$ to $t$
$T_s$	The shortest path rooted at node $s$
$P_{size}$	The population size
$P_c$	The crossover rate
$P_m$	The mutation rate
<b>ng</b>	The number of generations
<b>RWGA</b>	Random Weighted Genetic Algorithm
<b>MSPP</b>	The multi-criteria shortest path problem

### 3 The problem formulation and description

The optimal shortest paths tree rooted at vertex  $s$  is the collection of optimal paths from the source (root) node  $s$  to the destination nodes  $d_i$ . The path  $P_{(s,d)}$  is optimal if it has minimum cost and maximum bandwidth. Let  $C(P_{(s,d)})$  and  $B(P_{(s,d)})$  be the cost and the bandwidth of the path  $P_{(s,d)}$  respectively. The multi-objective paths tree problem is formulated as follows:

$$\begin{aligned} & \text{Minimize } C(P_{(s,d_i)}) \\ & \text{Maximize } B(P_{(s,d_i)}) \end{aligned}$$

where

$$C(P_{(s,d_i)}) = \sum_{e \in P_{(s,d_i)}} C_e \quad (1)$$

and

$$B(P_{(s,d_i)}) = \min_{b_e \in P_{(s,d_i)}} (b_e) \quad (2)$$

The multi-objective problem in the case of a maximal and minimal objective is transformed into either a multi-objective minimization problem or a multi-objective maximization problem. Therefore, the original problem formulation is modified to be of the minimal type:

$$\begin{aligned} & \text{Minimize } ob_1 = C(P_{(s,d_i)}) \\ & \text{Minimize } ob_2 = \hat{B}(P_{(s,d_i)}) \end{aligned}$$

where  $\hat{B}(P_{(s,d_i)}) = 1/B(P_{(s,d_i)})$

Therefore, the minimum-cost paths tree  $T_s$  is the collection of minimum cost paths from the source (root) node  $s$  to the destination nodes  $d_i$ :

$$C(T_s) = \sum_k C^k(P_{(s,d_i)}) \quad (3)$$

The bandwidth of the tree  $T$  is defined as the minimum available residual bandwidth at any link along the tree:

$$B(T_s) = \min(B(e), \quad e \in T_s) \quad (4)$$

The presented method depends on reading both the connection, cost and bandwidth matrices of a given network, and then finds the shortest paths tree rooted at the source node.

### 4 The proposed algorithm based on RWGA

In the proposed GA, each candidate path is represented by a binary string with length  $N$  that can be used as a chromosome. Each element of the chromosome

represents a node in the network topology. So, for a network of  $N$  nodes, there are  $N$  string components in each candidate solution  $x$ . Each chromosome must contain at least two non zero elements.

For example, if we consider the following network with eight nodes, shown in Figure 1, the path of Figure 2 is represented as a chromosome as shown in Figure 3.

In the following subsections, we give an explanation of different components (operations) of the presented genetic algorithm.

#### 4.1 Initial Population

The generated chromosome in initial population must contain at least two non-zero elements to be a real candidate path. The following steps show how to generate  $P_{size}$  chromosomes of the initial population:

1. Randomly generate a chromosome  $x$ .
2. Check if  $x$  represents a real candidate path, i.e. contains at least two non-zero elements.
3. Repeat step 1 and step 2 to generate  $P_{size}$  chromosomes.

#### 4.2 The Fitness Function

1. Step 1: Find the normalized values of  $ob_1$  and  $ob_2$  as follows:
  - Normalized value for  $ob_1$ :  
 $Nob_1(i) = \text{Min}(ob_1(1), ob_1(2), \dots, ob_1(P_{size})) / ob_1(i)$
  - Normalized value for  $ob_2$ :  
 $Nob_2(i) = ob_2(i) / \text{Max}(ob_2(1), ob_2(2), \dots, ob_2(P_{size}))$
2. Step 2: Calculate the Fitness value for each solution as follows:
  - Generate a random number  $u_k$  in  $[0, 1]$  for each objective  $k$ ,  $k = 1, 2$ .
  - Calculate the random weight of each objective  $k$  as:

$$w_k = u_k / \sum_{i=1}^2 u_i \quad (5)$$

- Calculate the fitness of the solution as:  
 $f(i) = w_1 * Nob_1(i) + w_2 * Nob_2(i)$
3. Step 3: Calculate the selection probability of each solution

$$Pr(i) = (f(i) - f^{min})^{-1} \sum_{j \in P_{size}} (f(j) - f^{min}), \quad (6)$$

where  $f^{min} = \min\{f(i), i \in P_{size}\}$ .

#### 4.3 Genetic Crossover Operation

In the proposed GA, we use the single cut point crossover to breed a new offspring from two parents. The crossover operation will be performed if the crossover ratio ( $P_c = 0.90$ ) is verified. The cut point is randomly selected.




Fig. 1: The cost and bandwidth of the links (cost, bandwidth) for eight nodes network




Fig. 2: A candidate Path

1	2	3	4	5	6	7	8
1	0	1	1	0	0	0	1

Fig. 3: The chromosome corresponding to the path given in Figure 2




Fig. 4: The shortest paths tree




Fig. 5: The cost and bandwidth of the links (cost, bandwidth) for eleven nodes network




Fig. 6: The shortest paths tree rooted at node 1

#### 4.4 Genetic Mutation Operation

The mutation operation is performed on bit-by-bit basis. In the proposed approach, the mutation operation will be performed if the mutation ratio ( $P_m$ ) is verified. The  $P_m$  in this approach is chosen experimentally to be 0.02. The point to be mutated is selected randomly.

#### 5 The Entire Algorithm

1. Step 1: Set the population size ( $P_{size}$ ), the crossover rate ( $P_c$ ), the mutation rate ( $P_m$ ) and the number of generations ( $ng$ ).
2. Step 2: Generate the initial population including successful individuals  $P_1, P_2, \dots, P_{P_{size}}$ .
3. Step 3: For each individual, evaluate  $ob_1$  and  $ob_2$  according to Eq.(1) and Eq.(2).
4. Step 4: Determine the set of non-dominated solutions  $E$  and the number of non-dominated solutions  $nE$ .

5. Step 5: Calculate the fitness value and the selection probability for each individual  $B$  in the current population as presented in Section 4.2.
6. Step 6:
  - Select parents using the selection probabilities calculated in Step 5.
  - Apply the GA operations (described in Section 4.3 to Section 4.4) to generate new populations.
  - Apply crossover on the selected parent pairs to create  $P_{size}$  offspring.
  - Mutate offspring with a predefined mutation rate. Copy all offspring to  $P_{t+1}$ . Update  $E$  if necessary.
7. Step 7: Randomly remove  $nE$  solutions from the new population and add the same number of solutions from  $E$  to it.
8. Step 8: If the stopping condition is not satisfied, set  $ng = ng + 1$ , else, go to Step 5.

## 6 Experimental Results

The initial values of the parameters are: population size ( $P_{size}=20$ ), maximum generation ( $max\ gen = 300$ ),  $P_c = 0.90$ , and  $P_m = 0.02$ . The technique reads the connection, cost and bandwidth matrices of the given network. Then it generates the shortest paths tree of the network that possesses the minimum cost and maximum bandwidth. The proposed algorithm is implemented using Borland C++ Ver. 5.5. Three cases are used to test and validate the proposed algorithm.

### 6.1 Case 1:

Here, we consider the given network of eight nodes, as shown in Figure 1. The final output of the GA is shown in Table 1. Figure 4 shows the shortest paths tree rooted at node 1.

**Table 1:** The final output of the proposed algorithm (GA)

$d_i$	The shortest path	$ob_1(cost)$	$ob_2(bandwidth)$
2	{1,2}	6	15
3	{1,3}	5	10
4	{1,3,4}	9	10
5	{1,5}	4	13
6	{1,5,6}	10	12
7	{1,5,6,7}	14	10
8	{1,2,8}	14	15

The minimum-cost paths tree  $T_s$  of this network is 62 and maximum bandwidth is 10.

### 6.2 Case 2:

Here, the algorithm was applied on a network with 11 nodes as shown in Figure 5. The final output of the GA is shown in Table 2. Figure 6 shows the shortest paths tree rooted at node 1.

**Table 2:** The final output of proposed algorithm (GA)

$d_i$	The shortest path	$ob_1(cost)$	$ob_2(bandwidth)$
2	{1,2}	8	11
3	{1,11,3}	8	12
4	{1,11,3,4}	17	11
5	{1,8,7,5}	23	10
6	{1,11,3,4,6}	29	11
7	{1,8,7}	17	10
8	{1,8}	10	10
9	{1,8,9}	13	10
10	{1,11,10}	11	11
11	{1,11}	3	15

The minimum-cost paths tree  $T_s$  of this network is 139 and maximum bandwidth is 10.

### 6.3 Case 3:

Also, the GA was applied on sixteen nodes example as shown in Figure 7. The final output of the GA is shown in Table 3. Figure 8 shows the shortest paths tree rooted at node 1.

**Table 3:** The final output of the proposed algorithm (GA)

$d_i$	The shortest path	$ob_1(cost)$	$ob_2(bandwidth)$
2	{1,3,2}	11	12
3	{1,3}	3	12
4	{1,7,8,4}	28	10
5	{1,3,7,10,9,5}	34	10
6	{1,3,2,5,9,10,7,6}	43	10
7	{1,3,2,5,9,10,7}	35	10
8	{1,3,7,11,12,8}	30	10
9	{1,2,5,9}	21	10
10	{1,3,2,5,9,10}	26	12
11	{1,3,2,7,8,12,11}	30	10
12	{1,3,7,11,12}	18	10
13	{1,3,2,5,9,13}	28	10
14	{1,3,7,11,14}	21	12
15	{1,3,7,11,14,15}	24	12
16	{1,3,7,11,14,16}	28	12

The minimum-cost paths tree  $T_s$  of this network is 380 and maximum bandwidth is 10.






Fig. 7: The cost and bandwidth of the links (cost, bandwidth) of sixteen nodes network




Fig. 8: The minimum-cost paths tree rooted at node 1

## 7 Conclusions

The paper presented a multi-objective genetic algorithm based on Random Weighted Genetic Algorithm (RWGA) to solve the shortest paths tree problem subject to cost and bandwidth constraints. The objective of the proposed algorithm is to search the optimal set of edges connecting all nodes such that the sum of costs is minimized and the value bandwidth is maximized. The GA has been applied on three cases, the results proved efficiency of the proposed GA.

## References

- [1] H. Pierre and Z. Maolin, Shortest shortest path trees of a network, *Discrete Applied Mathematics* 65, 275–284 (1996).
- [2] L. Yueping, Z. Nie and Z. Xiaohong, Finding the Optimal Shortest Path Tree with Respect to Single Link Failure Recovery, *Fourth International Conference on Networked Computing and Advanced Information Management*, 412–415 (2008).
- [3] F. Hiroshi and J. Kenneth, The New Shortest Best Path Tree (SBPT) Algorithm for Dynamic Multicast Trees, *Conference on Local Computer Networks*, 201–211 (1999).
- [4] A.K. Ziliaskopoulos, F.D. Mandanas and H.S. Mahmassani, An extension of labeling techniques for finding shortest path trees, *European Journal of Operational Research* 198, 63–72 (2009).
- [5] H. Qua, S.X. Yang, Y. Zhang and W. Xiaobin, A novel neural network method for shortest path tree computation, *Applied Soft Computing* 12, 3246–3259 (2012).
- [6] L. Ting and Z. Jie, A genetic algorithm for finding a path subject to two constraints, *Applied Soft Computing* 13, 891–898 (2013).
- [7] A. Younes, A genetic algorithm for finding the k shortest paths in a network, *Egyptian Informatics Journal* 11, 75–79 (2010).
- [8] L. Linzhong, M. Haibo, Y. Xinfeng, H. Ruichun and L. Yinzheng, oriented spanning tree based genetic algorithm for multi-criteria shortest path problems, *Applied Soft Computing* 12, 506–515 (2012).
- [9] A. Younes, Multicast routing with bandwidth and delay constraints based on genetic algorithms, *Egyptian Informatics Journal* 12, 107–114 (2011).

- [10] J. Granat and F. Guerriero, The interactive analysis of the multi-criteria shortest path problem by the reference point method, *European Journal of Operational Research* 151, 103–111 (2003).
- [11] M. Gen and L. Lin, Multi-objective genetic algorithm for solving network design problem, presented at the 20th Fuzzy Systems Symposium, Kitakyushu, Japan, (2004).
- [12] X. Gandibleux, F. Beugnies, and S. Randriamasy, Martins' algorithm revisited for multi-objective shortest path problems with a Max Min cost function, *A Quarterly Journal of Operations Research* 4, 47–59 (2006).
- [13] M. Müller-Hannemann, and K. Weihe, Pareto Shortest Paths is Often Feasible in Practice, In *Lecture Notes in Computer Science* 2141, G. Brodal, D. Frigioni, A. Marchetti-Spaccamela Eds. Berlin: Springer Verlag, 185–198 (2001).
- [14] J. Coutinho-Rodrigues, J. Climaco and J. Current, An interactive biobjective shortest path approach: searching for unsupported non-dominated solutions, *Computers & Operations Research* 26, 789–798 (1999).
- [15] E. Martins and J. Santos, The labeling algorithm for the multi-objective shortest path problem, *Departamento de Matematica, Universidade de Coimbra, Portugal, Tech. Rep. TR-99/005* (1999).
- [16] P. Mooney and A. Winstanley, An evolutionary algorithm form criteria path optimization problems, *International Journal of Geographical Information Science* 20, 401–423 (2006).
- [17] F. Guerriero and R. Musmanno, Label correcting methods to solve multi-criteria shortest path problems, *Journal of Optimization Theory and Applications* 111, 589–613 (2001).
- [18] G. Tsaggouris and C. Zaroliagis, Multi-objective optimization :improved FPTAS for shortest paths and non-linear objectives with applications, *Computer Technology Institute, University of Patras, Greece, Tech. Rep. TR 2006/03/01* (2006).
- [19] F. Böckler and P. Mutzel, Tree-Deletion Pruning in Label-Correcting Algorithms for the Multiobjective Shortest Path Problem, cite as arXiv:1604.08147 (2016).



interests include high performance computing, and image processing.

**Mahmoud A. Mofaddel** received his B. Sc. and M. Sc. Degrees from ASSIUT University in 1985 and 1991 respectively, and his Ph. D. degree from Rostock University, GERMANY in 1999. He authored and co-authored more than 23 scientific papers. His research



research in the area of Image Processing. Currently, he works as an Associate Professor in University of Dammam, KSA. Younes always publishes the outcome of his research in international journals and conferences.

**Ahmed Younes Hamed** received his PhD degree in Sept. 1996 from South Valley University, Egypt. His research interests include Artificial Intelligence and genetic algorithms; specifically in the area of computer networks. Recently, he has started conducting a